


SOLD Swift Challenger 625 SE (2013)



Overview

The Swift Challenger 625 SE is a twin axle 6 berth with a fixed double bed and side dinnette.





CALL 01568 611481
TO SPEAK TO OUR SALES
ADVISOR TODAY

Specifications

Make	Swift
Model	Challenger 625 SE
Internal Length	6.27m / 20'7"
External Length	7.93m / 26'0"
Width	2.25m / 7'5"
Unladen Weight	1603kg
MTPLM	1800kg
Awning Size	1064cm
Warranty Internal / External	3 yrs / 10 yrs

Exterior Features

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- Overall body width 2.25m/7'4½"
- AL-KO galvanised steel chassis with Euro-axle
- Strong, moisture proof 'PURE' Polyurethane timberless framed body shell
- One-piece, 5000 Series marine grade aluminium sidewalls
- 25mm 'sandwich' sidewall construction with polystyrene insulation core
- Wheel arches insulated with high density foam to prevent cold spots in storage areas
- Aerodynamic front in closed-mould GRP with wide front door
- Full height moulded rear panel

- Fully bonded 32mm 'sandwich' roof for extra strength and flatness with with polystyrene insulation core
- 44mm 'sandwich' floor with high rigidity Styrofoam core
- AL-KO Euro overrun device with two-way assisted handbrake
- Five spoke alloy wheels in glitter silver finish
- Heavy duty corner steadies on twin axle models
- BBQ point
- Steel spare wheel
- Higher tyre rating - a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing experience
- Semi-recessed body colour awning rail both sides
- Step-on hitch cover for easy cleaning of front windows
- High security locks with convenient one key operation for all locks
- 13-pin 'Jaeger' 12V car connector
- Bulkhead mounted regulator suitable for use with either propane or butane bottles
- Fully double-glazed opening windows (no single-glazed cold areas)
- Key fob control to LED awning light
- Exterior two part door with interior moulded liner window and blind (45mm / 2" wider and 50mm / 3" taller than standard size)
- Exterior access battery box with mains electric inlet (battery not included)
- Aerial point in battery box for portable satellite dish connection
- External 230v socket
- External access door under front nearside seat
- Large external access door under fixed beds
- Entrance step

Interior Features

- 1.95m (6'5") headroom
 - Panoramic front sunroof
 - 'Maldives' soft furnishing scheme
 - 'Mali Acacia' woodgrain with rich colour and defined woodgrain texture with complementary fabrics
 - Two scatter cushions
 - Two bolster arms either side of front chest
 - Twin curtain track for improved hanging and ease of use
 - Sectioned removable carpets for flexibility
 - French Oak effect, high impact, scratch resistant floor lino
 - Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
 - Seat bases with space frame construction, full front access and space for larger items
-

- Bed make-up system with slats retained on track
- Sprung interior mattresses in fixed bed models
- Fixed beds with steel bed frames to maximise strength and storage space
- Areas under beds and seats warmed by blown air system and under floor ducting insulated to minimise heat loss
- Front chest of drawers with convenient slide-out extending top
- Large dining table for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Overhead locker doors with injection moulded space frame construction
- Granite effect kitchen sink
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Kitchen worktop extensions
- Cutlery drawer on smooth-action steel runners
- Two pull-out wire baskets in kitchen cupboard
- Midi-Heki roof window with flynet and adjustable concertina blind
- Door flyscreen with easy concertina action
- Cassette flyscreens and blinds on all windows
- Multi-directional clear roof lights in kitchens, bedrooms and washrooms
- Seat and backrest ventilation boards
- Retained embroidered entrance mat
- Lined washroom cubicle in all separate washrooms
- Thick washroom doors with domestic style locks and handles

Services

- ALDE radiator central heating and water heating with daily programming with LCD touch screen control and choice of 1KW, 2KW or 3KW setting
- ALDE towel radiator
- Large capacity (15 litre) waste bin on lower door
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Glass hob lid with safety cut-out feature
- Thetford thermostatic oven and separate grill
- Ventilated microwave oven with digital controls built at an easily accessible level
- Electronic ignition fridge with removable freezer compartment, black effect finish and digital controls (190 litre incorporating 35 litre freezer compartment in 645)
- Omnivent three speed, two way roof fan.
- Ecocamel shower hose and head uses less water while giving a powerful shower

- Thetford C260 toilet with electric flush and 18 litre wheeled waste tank
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- 30 litre internal fresh water tank (Twin Axles Only) with additional external pump for filling or direct feed to taps
- Inboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level (Twin Axle models) and water pump circuit controls, set in new decorative housing
- Fully protected mains electric system
- 25 Amp switchmode charger/transformer
- TV station with 230V, 12V and aerial sockets
- Radio/CD/MP3 player with iPod connection with upgraded premium radio speakers
- Status 550 directional Digital / Analogue TV/FM aerial and booster
- 40W solar panel fitted as standard
- Low energy LED lighting system throughout with over-locker lights, task lights and low level night lights
- LED back-lit acrylic sink splash back and kitchen under worktop lighting
- LED backlights in washroom mirrors
- LED downlighters set in plinth over kitchen locker
- Light in wardrobe
- Six 230V sockets including two in compact front shelf pod
- 25 metre mains hook-up cable

Safety & Security

- Thatcham approved TRACKER Retrieve fitted as standard
- Passive infra-red alarm system with tilt sensor and key fob operation
- AL-KO ATC trailer stability control fitted as standard
- AKS 3004 Stabiliser
- Receiver for optional AL-KO Secure wheel lock
- Smoke alarm
- Carbon monoxide detector
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security locks with convenient one key operation for all locks